

Workfile ID: 81a3f6eb 68-0567858 Federal ID:

Preliminary Estimate

Job Number:

Insured: AVIS / BUDGET

Type of Loss:

Point of Impact:

Policy #: Date of Loss: Claim #: 1513611-1

Days to Repair: 0

Inspection Location: Owner:

Insurance Company:

SELF PAY

VEHICLE

2025 TOYO Tacoma 4WD TRD Off Road Double Cab Automatic w/6' Bed 4D LONG 4-2.4L Turbocharged Gasoline Port/Direct Injection 1513611-1

3TMLB5JN2SM095885 VIN: Interior Color:

License: 3-256B

WY

State:

Exterior Color:

1513611-1

Mileage In:

Vehicle Out:

Job #:

Mileage Out:

Production Date: Condition:

TRANSMISSION

Automatic Transmission

4 Wheel Drive **POWER Power Steering Power Brakes Power Windows**

Power Locks

Power Mirrors **Heated Mirrors DECOR Dual Mirrors**

Privacy Glass Console/Storage Overhead Console

CONVENIENCE Air Conditioning

Intermittent Wipers Tilt Wheel

Cruise Control Rear Defogger **Keyless Entry**

Alarm

Message Center

Steering Wheel Touch Controls

Telescopic Wheel Climate Control Backup Camera Remote Starter Intelligent Cruise

RADIO AM Radio FM Radio Stereo

Search/Seek

Satellite Radio

Auxiliary Audio Connection

SAFETY

Drivers Side Air Bag Passenger Air Bag

Anti-Lock Brakes (4) 4 Wheel Disc Brakes Traction Control

Stability Control Front Side Impact Air Bags

Head/Curtain Air Bags Communications System Hands Free Device

Xenon or L.E.D. Headlamps

Positraction

Blind Spot Detection

Lane Departure Warning

SEATS Cloth Seats **Bucket Seats**

WHEELS Aluminum/Alloy Wheels

PAINT

Clear Coat Paint

OTHER Fog Lamps

Signal Integrated Mirrors

TRUCK

Rear Step Bumper

California Emissions

Bedliner Trailer Hitch

Trailering Package

Job Number:

| Line | Oper | Description | Part Number | Qty | Extended Price \$ | Labor | Paint |
|------|-----------------|---|-------------|-----|-------------------|-------|-------|
| 1 | INFORMATION LAB | ELS | | | | | |
| 2 | | Rpl information labels | | | | 0.3 | |
| 3 | Repl | Emission label w/o hybrid auto trans, fm 05/24 to 12/2024 | 11298F0372 | 1 | | Incl. | |
| open | Repl | Eng info label #1 | 11295YY010 | 1 | | Incl. | |
| 5 | Repl | Eng info label #2 | 1129725010 | 1 | | Incl. | |
| 6 | FRONT BUMPER | | | | | | |
| 7 | | O/H front bumper | | | | 3.6 | |
| 8 | Repl | Bumper cover w/o hybrid w/TRD, Limited, SR5 pkg. | 52119AK901 | 1 | 2 | Incl. | 3.2 |
| 9 | | Add for Clear Coat | | | | | 1.3 |
| 10 | | Aim park sensor | | | m | 0.5 | |
| 11 | | Add for fog lamps | | | m | 0.2 | |
| 12 | | Add for spoiler | | | | 0.3 | |
| 13 | Repl | RT Bumper cover grommet | 9018906236 | 1 | | | |
| 14 | Repl | LT Bumper cover grommet | 9018906236 | 1 | | | |
| 15 | Repl | RT Guide | 52115AK010 | 1 | | 0.1 | |
| 16 | Repl | LT Guide | 52116AK010 | 1 | | 0.1 | |
| 17 | Repl | RT Side molding | 52112AK900 | 1 | | Incl. | 0.7 |
| 18 | Repl | LT Side molding | 52113AK900 | 1 | | Incl. | 0.7 |
| 19 | | Overlap Minor Panel | | | | | -0.2 |
| 20 | Repl | RT Bumper grille | 52127AK010 | 1 | | Incl. | |
| 21 | Repl | Molding | 53928AK010 | 1 | | Incl. | |
| 22 | Repl | Lower panel w/fog lights black | 53931AK010 | 1 | | Incl. | |
| 23 | Repl | RT Lower panel center bracket w/o SR, SR5 | 52125AK020 | 1 | | 0.1 | |
| 24 | Repl | Valance panel w/o hybrid | 53911AK010 | 1 | | Incl. | |
| 25 | Repl | RT Inlet duct | 52821AK010 | 1 | | Incl. | |
| 26 | R&I | License bracket w/o Lmtd, Lmtd i-F | | | | 0.2 | |
| 27 | Repl | Center bracket | 52521AK010 | 1 | | 0.1 | |
| 28 | Repl | RT Bumper bracket | 52136AK010 | 1 | | 0.1 | |
| 29 | Repl | Center support | 53112AK010 | 1 | | 0.2 | |
| 30 | GRILLE | | | | | | |
| 31 | Repl | Grille assy w/o hybrid TRD sport, TRD Off-road, Pre Runner | 53111AK030 | 1 | | Incl. | |
| 32 | Repl | Grille surround | 52711AK900 | 1 | | 0.2 | 1.2 |
| 33 | FRONT LAMPS | | | | | | |
| 34 | Repl | RT Headlamp assy SR,SR5,TRD sprt,TRD Off-rd,TRD Prerunr | 81110AK010 | 1 | | 0.3 | |
| 35 | | Aim headlamps | | | | 0.5 | |
| 36 | HOOD | | | | | | |
| 37 | Repl | Hood (ALU) | 53301AK010 | 1 | | 1.6 | 3.0 |
| 38 | | Overlap Major Non-Adj. Panel | | | | | -0.2 |

Job Number:

| 39 | | | Add for Underside(Complete) | | | | 1.5 |
|----|------------|------|---------------------------------------|------------|----|--------------|------|
| 40 | | Repl | | 90467A0003 | 10 | | |
| 41 | FENDER | | · | | | | |
| 42 | | Repl | RT Fender w/o hybrid w/o SR, SR5 | 53811AK030 | 1 | 2.2 | 2.2 |
| 43 | | | Overlap Major Non-Adj. Panel | | | | -0.2 |
| 44 | | | Add for Edging | | | | 0.5 |
| 45 | | Repl | LT Fender w/o hybrid w/o SR, SR5 | 53812AK020 | 1 | 2.2 | 2.2 |
| 46 | | | Overlap Major Adj. Panel | | | | -0.4 |
| 47 | | | Add for Edging | | | | 0.5 |
| 48 | | Repl | RT Wheel opng mldg w/o Trailhunter | 75085AK010 | 1 | Incl. | |
| 49 | * | R&I | LT Wheel opng mldg w/o Trailhunter | | | <u>Incl.</u> | |
| 50 | | Repl | LT Wheel opng mldg seal | 53851AK020 | 1 | | |
| 51 | | Repl | LT Wheel opng mldg clip | 90467A0006 | 9 | | |
| 52 | | R&I | RT Mud guard | | | Incl. | |
| 53 | | R&I | LT Mud guard | | | Incl. | |
| 54 | WINDSHIELD | | | | | | |
| 55 | | R&I | Windshield Toyota w/o head up display | | | Incl. | |
| 56 | | Repl | Upper molding | 75531AK010 | 1 | Incl. | |
| 57 | CAB | | | | | | |
| 58 | | Repl | Roof panel | 63111AK010 | 1 | 16.6 | 3.6 |
| 59 | | | Overlap Major Adj. Panel | | | | -0.4 |
| 60 | | Repl | ` , | 61204AK010 | 1 | 1.0 | 0.3 |
| 61 | | Repl | LT Roof rail | 61212AK010 | 1 | 7.0 | 1.5 |
| 62 | | | Overlap Minor Panel | | | | -0.2 |
| 63 | | Repl | Rear header | 63105AK010 | 1 | Incl. | 0.4 |
| 64 | | Repl | • , | 61114AK010 | 1 | 14.4 | 1.5 |
| 65 | | | Overlap Major Non-Adj. Panel | | | | -0.2 |
| 66 | | Repl | LT Gusset (UHS) | 61146AK010 | 1 | 1.5 | 0.4 |
| 67 | | Repl | LT Inner hinge plr upper (UHS) | 61136AK010 | 1 | 7.2 | 0.4 |
| 68 | | Repl | • , | 61024AK010 | 1 | 4.5 | |
| 69 | | Repl | LT Ctr plr & rocker | 61312AK010 | 1 | 14.5 | 2.4 |
| 70 | | | Overlap Major Non-Adj. Panel | | | | -0.2 |
| 71 | | | Deduct for Overlap | | | -1.0 | |
| 72 | | Repl | LT Side panel | 61018AK010 | 1 | 11.0 | 1.8 |
| 73 | | | Overlap Major Non-Adj. Panel | | | | -0.2 |
| 74 | | | Deduct for Overlap | | | -0.5 | |
| 75 | | | Deduct for Overlap | | | -1.0 | |
| 76 | | Repl | | 58742AK020 | 1 | 0.2 | |
| 77 | | Repl | LT Inner panel assy (UHS) | 61504AK900 | 1 | 6.8 | 0.6 |
| 78 | | _ , | Overlap Minor Panel | | | | -0.2 |
| 79 | | Repl | LT Protector | 58744AK030 | 1 | | |
| | | | | | | | |

Job Number:

| 80 | * Blne | d Back panel w/o prem audio (HSS) | | | | <u>1.5</u> |
|-----|-----------------|--|--------------|---|------------|------------|
| 81 | * R& | I RT Drip molding front | | | <u>0.4</u> | |
| 82 | * R& | I LT Drip molding front | | | <u>0.4</u> | |
| 83 | * R& | I RT Drip molding center | | | <u>0.4</u> | |
| 84 | * R& | | | | 0.4 | |
| 85 | Rep | | 755610C010 | 4 | | |
| 86 | Rep | | 755610C010 | 4 | | |
| 87 | Rep | | 76085AK010 | 1 | 0.5 | 1.0 |
| 88 | | Overlap Major Non-Adj. Panel | | | | -0.2 |
| 89 | Rep | | 76887AK010 | 1 | | |
| 90 | R& | I RT Running board w/o 6ft deck | | | 0.6 | |
| 91 | R& | | | | 0.6 | |
| 92 | Rep | | 63310AK020C1 | 1 | Incl. | |
| 93 | Rep | | 62210AK010C1 | 1 | Incl. | |
| 94 | Rep | ol LT W/S pillar trim w/o premium audio | 62220AK010C1 | 1 | Incl. | |
| 95 | Rep | l RT Body w'strip front | 62311AK010 | 1 | Incl. | |
| 96 | Rep | | 62312AK010 | 1 | Incl. | |
| 97 | Rep | | 62331AK010 | 1 | Incl. | |
| 98 | Rep | l LT Body w'strip rear | 62332AK010 | 1 | Incl. | |
| 99 | Rep | ol RT Upr ctr plr trim | 62410AK010C1 | 1 | Incl. | |
| 100 | Rep | l LT Upr ctr plr trim | 62420AK010C1 | 1 | Incl. | |
| 101 | Rep | | 62510AK010C1 | 1 | Incl. | |
| 102 | Rep | ol LT Upper trim | 62520AK010C1 | 1 | Incl. | |
| 103 | R& | I Silencer | | | | |
| 104 | R& | I Upper panel | | | | |
| 105 | INSTRUMENT PAN | EL | | | | |
| 106 | R& | I R&I instrument panel | | | 6.1 | |
| 107 | RESTRAINT SYSTE | MS | | | | |
| 108 | Rep | ol RT Head air bag Double Cab to 11/2024 | 62170AK021 | 1 | 0.4 | М |
| 109 | Rep | ol LT Head air bag Double Cab to 11/2024 | 62180AK021 | 1 | 0.4 | М |
| 110 | Rep | ol Diag unit w/sens Double Cab, w/o hybrid to 12/2024 | 8917004740 | 1 | 0.3 | М |
| 111 | Rep | RT Side impact sens front | 8983A04010 | 1 | 0.1 | М |
| 112 | Rep | l LT Side impact sens front | 8983A04010 | 1 | 0.1 | M |
| 113 | Rep | RT Side impact sens rear | 8983104050 | 1 | 0.1 | M |
| 114 | Rep | l LT Side impact sens rear | 8983104050 | 1 | 0.1 | M |
| 115 | Rep | ol RT Retractor assy | 73210AK010C0 | 1 | 0.3 | M |
| 116 | Rep | ol LT Buckle end w/o 8 way adjst seat | 73240AK010C0 | 1 | 0.2 | |
| 117 | Rep | ol LT Adjuster | 732000R010 | 1 | 0.1 | |
| 118 | SEATS & TRACKS | | | | | |
| 119 | R& | I RT R&I front seat | | | 0.4 | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Preliminary Estimate

Customer: AVIS / BUDGET

Job Number:

| 120 | | R&I | LT R&I front seat | | | Incl. | |
|-----|-------------|------|--|--------------|---|------------|------------|
| 121 | | R&I | RT R&I rear seat | | | 0.4 | |
| 122 | | R&I | LT R&I rear seat | | | Incl. | |
| 123 | CONSOLE | | | | | | |
| 124 | * | R&I | Rear console w/TRD, LIMITED | | | <u>2.5</u> | |
| 125 | FRONT DOOR | | | | | | |
| 126 | | Repl | RT Door shell | 67001AK010 | 1 | 5.6 | 3.3 |
| 127 | | | Overlap Major Adj. Panel | | | | -0.4 |
| 128 | | Repl | LT Door shell | 67002AK010 | 1 | 5.6 | 3.3 |
| 129 | | | Overlap Major Adj. Panel | | | | -0.4 |
| 130 | | Repl | RT Nameplate "TACOMA" w/chrome | 7542704030 | 1 | 0.2 | |
| 131 | | Repl | LT Nameplate "TACOMA" w/chrome | 7542804010 | 1 | 0.2 | |
| 132 | | Repl | RT Belt molding | 75710AK010 | 1 | Incl. | |
| 133 | | Repl | LT Belt molding | 75720AK010 | 1 | Incl. | |
| 134 | | Repl | RT Black out tape | 75921AK010 | 1 | 0.2 | |
| 135 | | Repl | LT Black out tape | 75922AK010 | 1 | 0.2 | |
| 136 | | Repl | LT Mirror assy w/o signal lamps | 87940AK010 | 1 | Incl. | |
| 137 | | Repl | LT Outer cover w/o signal lamps | 87945AK010 | 1 | 0.2 | |
| 138 | | Repl | LT Door glass Toyota w/TRD, LIMITED | 68102AK020 | 1 | Incl. | |
| 139 | | Repl | LT Glass run | 68151AK010 | 1 | 0.2 | |
| 140 | | Repl | LT Handle, outside painted silver | 692100C100B1 | 1 | Incl. | 0.5 |
| 141 | | | Overlap Minor Panel | | | | -0.2 |
| 142 | | Repl | LT Handle, outside pad front | 692410C030 | 1 | | |
| 143 | | Repl | LT Handle, outside pad rear | 692420C030 | 1 | | |
| 144 | REAR DOOR | | | | | | |
| 145 | * | Blnd | RT Door shell | | | | <u>1.2</u> |
| 146 | | Repl | | 67004AK010 | 1 | 3.8 | 3.3 |
| 147 | | | Overlap Major Adj. Panel | | | | -0.4 |
| 148 | | Repl | LT Rear molding | 75764AK010 | 1 | 0.2 | |
| 149 | | Repl | LT Black out tape | 75924AK010 | 1 | 0.2 | |
| 150 | | Repl | LT Belt molding | 75740AK010 | 1 | Incl. | |
| 151 | | Repl | RT Belt molding | 75730AK010 | 1 | 0.2 | |
| 152 | | R&I | RT Door glass Toyota | | | 0.4 | |
| 153 | | Repl | LT Door glass Toyota | 68104AK010 | 1 | Incl. | |
| 154 | * | R&I | RT Glass run upper | | | <u>0.2</u> | |
| 155 | | Repl | LT Glass run upper | 68152AK010 | 1 | 0.2 | |
| 156 | | R&I | RT Handle, outside non-painted black | | | 0.4 | |
| 157 | | R&I | RT R&I trim panel | | | 0.4 | |
| 158 | | R&I | RT Upper cover | | | | |
| 159 | BACK GLASS | | | | | | |
| 160 | | R&I | Back glass Toyota | | | 2.6 | |
| 161 | PICK UP BOX | | | | | | |


Preliminary Estimate

Customer: AVIS / BUDGET Job Number:

| 2025 TO | OYO Tacoma 4WD | TRD (| Off Road Double Cab Automatic w/6' Bec | d 4D LONG 4-2.4L Turb | ocharged Ga | asoline Port/Direct Injection 1 | 1513611-1 |
|---------|----------------|-------|---|-----------------------|-------------|---------------------------------|-----------|
| 162 | | Repl | Box assy w/o 120V outlt | 65100AK010 | 1 | 12.0 | 7.8 |
| 163 | | | Overlap Major Adj. Panel | | | | -0.4 |
| 164 | | Repl | RT Outer panel w/TRD, LIMITED (ALU) | 65500AK030 | 1 | 4.4 | 3.1 |
| 165 | | | Overlap Major Adj. Panel | | | | -0.4 |
| 166 | | Repl | LT Outer panel w/TRD, LIMITED (ALU) | 65600AK030 | 1 | 4.6 | 3.1 |
| 167 | | | Overlap Major Adj. Panel | | | | -0.4 |
| 168 | | | Clear Coat | | | | 2.5 |
| 169 | * | Blnd | Fuel door | | | | 0.2 |
| 170 | | Repl | RT Stone deflector | 76921AK010 | 1 | 0.2 | |
| 171 | | Repl | LT Stone deflector | 76922AK010 | 1 | 0.2 | |
| 172 | | R&I | RT Mud guard | | | 0.2 | |
| 173 | | R&I | LT Mud guard | | | 0.2 | |
| 174 | | Repl | RT Side trim panel w/o bed lamp | 66248AK010 | 1 | Incl. | |
| 175 | | Repl | LT Side trim panel w/o bed lamp | 66249AK010 | 1 | Incl. | |
| 176 | | Repl | Decal "TRD Off Road" | 75996AK030D0 | 1 | 0.2 | |
| 177 | | Repl | Decal "TRD Off Road" | 75996AK030D0 | 1 | 0.2 | |
| 178 | * | R&I | RT Wheel opng mldg w/o Trailhunter | | | 0.5 | |
| 179 | * | R&I | LT Wheel opng mldg w/o Trailhunter | | | <u>0.5</u> | |
| 180 | | Repl | RT Wheel opng mldg seal | 75696AK030 | 1 | | |
| 181 | | Repl | LT Wheel opng mldg seal | 75696AK030 | 1 | | |
| 182 | | Repl | RT Wheel opng mldg clip | 90467A0006 | 10 | | |
| 183 | | Repl | LT Wheel opng mldg clip | 90467A0006 | 10 | | |
| 184 | | Repl | RT Molding | 75631AK010 | 1 | 0.2 | |
| 185 | | Repl | LT Molding | 75641AK010 | 1 | 0.2 | |
| open | | R&I | R&I box assy | | | Incl. | |
| 187 | TAIL GATE | | | | | | |
| 188 | | R&I | R&I tailgate assy | | | Incl. | |
| 189 | WHEELS | | | | | | |
| 190 | | Repl | LT/Front Wheel, alloy 17 inch dark gray | 42611AK051 | 1 | 0.3 | |
| 191 | | Repl | RT/Front Wheel, alloy 17 inch dark gray | 42611AK051 | 1 | 0.3 | |
| 192 | | Repl | LT/Rear Wheel, alloy 17 inch dark gray | 42611AK051 | 1 | 0.3 | |
| 193 | REAR BUMPER | 1 | | | | | |
| 194 | | Repl | Bumper cover w/o blind spot Double Cab | 52057AK010 | 1 | 0.6 | |
| 195 | | | O/H rear bumper | | | 4.5 | |
| 196 | | Repl | Bumper | 52159AK010 | 1 | Incl. | |
| 197 | | Repl | LT Extension w/blind spot w/o TRD pkg | 52156AK010 | 1 | Incl. | 1.2 |
| 198 | | | Overlap Major Non-Adj. Panel | | | | -0.2 |
| 199 | | Repl | RT Rear bumper stay w/blind | 52151AK010 | 1 | Incl. | |
| | | | | | | | |

Job Number:

2025 TOYO Tacoma 4WD TRD Off Road Double Cab Automatic w/6' Bed 4D LONG 4-2.4L Turbocharged Gasoline Port/Direct Injection 1513611-1



CategoryBasisRateCost \$PartsBody LaborPaint LaborMechanical LaborPaint SuppliesSubtotalGrand Total

OUR SERVICE IS GUARANTEED AS LONG AS YOU OWN YOUR VEHICLE. RENO COLLISION CENTER'S GOAL IS TO PROVIDE YOU WITH THE BEST POSSIBLE SERVICE AND MAINTAIN YOUR VALUED CONFIDENCE. YOUR PATRONAGE TO OUR BUSINESS IS GREATLY APPRECIATED, THANK YOU!

THIS ESTIMATE MAY BE BASED IN WHOLE OR IN PART UPON THE PAINTLESS DENT REPAIR METHOD. EACH ITEM OF DAMAGE ADJUSTED USING THAT METHOD IS IDENTIFIED ON THE ESTIMATE. THE PAINTLESS DENT REPAIR METHOD MAY NOT BE THE APPROPRIATE REPAIR METHOD FOR ALL TYPES OF DAMAGE. IF AN INSURER IS LIABLE FOR THE DAMAGE LISTED ON THE ESTIMATE, THE INSURER SHALL PROVIDE SUFFICIENT COMPENSATION TO RESTORE THE VEHICLE TO SUBSTANTIALLY THE SAME PHYSICAL CONDITION. FOR ANY DAMAGE WHERE IT IS APPROPRIATE TO REPAIR THE VEHICLE USING THE PAINTLESS DENT REPAIR METHOD, THE INSURED MAY CHOOSE NOT TO REPAIR THE VEHICLE OR CHOOSE TO HAVE THE VEHICLE REPAIRED USING A DIFFERENT METHOD OF REPAIR. IF THE INSURED CHOOSES EITHER OF THESE OPTIONS, THE INSURER IS LIABLE ONLY FOR THE COST OF THE PAINTLESS DENT REPAIR METHOD.

Preliminary Estimate

Customer: AVIS / BUDGET Job Number:

2025 TOYO Tacoma 4WD TRD Off Road Double Cab Automatic w/6' Bed 4D LONG 4-2.4L Turbocharged Gasoline Port/Direct Injection 1513611-1

Estimate based on MOTOR CRASH ESTIMATING GUIDE and potentially other third party sources of data. Unless otherwise noted, (a) all items are derived from the Guide ARM8502, CCC Data Date 11/14/2025, and potentially other third party sources of data; and (b) the parts presented are OEM-parts. OEM parts are manufactured by or for the vehicle's Original Equipment Manufacturer (OEM) according to OEM's specifications for U.S. distribution. OEM parts are available at OE/Vehicle dealerships or the specified supplier. OPT OEM (Optional OEM) or ALT OEM (Alternative OEM) parts are OEM parts that may be provided by or through alternate sources other than the OEM vehicle Asterisk (*) or Double Asterisk (**) indicates that the parts and/or labor data dealerships with discounted pricing. provided by third party sources of data may have been modified or may have come from an alternate data source. Tilde sign (~) items indicate MOTOR Not-Included Labor operations. The symbol (<>) indicates the refinish operation WILL NOT be performed as a separate procedure from the other panels in the estimate. Non-Original Equipment Manufacturer aftermarket parts are described as Non OEM, A/M or NAGS. Used parts are described as LKO, RCY, or USED. Reconditioned parts are described as Recond. Recored parts are described as Recore. NAGS Part Numbers and Benchmark Prices are provided by National Auto Glass Specifications. Labor operation times listed on the line with the NAGS information are MOTOR suggested labor operation times. NAGS labor operation times are not included. Pound sign (#) items indicate manual entries.

Some 2024 vehicles contain minor changes from the previous year. For those vehicles, prior to receiving updated data from the vehicle manufacturer, labor and parts data from the previous year may be used. The CCC ONE estimator has a list of applicable vehicles. Parts numbers and prices should be confirmed with the local dealership.

The following is a list of additional abbreviations or symbols that may be used to describe work to be done or parts to be repaired or replaced:

SYMBOLS FOLLOWING PART PRICE:

m=MOTOR Mechanical component. s=MOTOR Structural component. T=Miscellaneous Taxed charge category. X=Miscellaneous Non-Taxed charge category.

SYMBOLS FOLLOWING LABOR:

D=Diagnostic labor category. E=Electrical labor category. F=Frame labor category. G=Glass labor category. M=Mechanical labor category. S=Structural labor category. (numbers) 1 through 4=User Defined Labor Categories.

OTHER SYMBOLS AND ABBREVIATIONS:

Adj.=Adjacent. Algn.=Align. ALU=Aluminum. A/M=Aftermarket part. Blnd=Blend. BOR=Boron steel. CAPA=Certified Automotive Parts Association. CFC=Carbon Fiber.

D&R=Disconnect and Reconnect. HSS=High Strength Steel. HYD=Hydroformed Steel. Incl.=Included. LKQ=Like Kind and Quality. LT=Left. MAG=Magnesium. Non-Adj.=Non Adjacent. NSF=NSF International Certified Part. O/H=Overhaul. Qty=Quantity. Refn=Refinish. Repl=Replace. R&I=Remove and Install. R&R=Remove and Replace. Rpr=Repair. RT=Right. SAS=Sandwiched Steel. Sect=Section. STS=Stainless Steel. Subl=Sublet. UHS=Ultra High Strength Steel. N=Note(s) associated with the estimate line.

CCC ONE Estimating - A product of CCC Intelligent Solutions Inc.

The following is a list of abbreviations that may be used in CCC ONE Estimating that are not part of the MOTOR CRASH ESTIMATING GUIDE:

BAR=Bureau of Automotive Repair. EPA=Environmental Protection Agency. NHTSA= National Highway Transportation and Safety Administration. PDR=Paintless Dent Repair. VIN=Vehicle Identification Number.