


2025 TOYO 4Runner SR5 4WD 4D UTV 4-2.4L Turbocharged Gasoline Port/Direct Injection Black

VIN:	JTEVA5BR1S5022604	Interior Color:	BLACK	Mileage In:	Vehicle Out:
License:		Exterior Color:	Black	Mileage Out:	
State:	ID	Production Date:	4/2025	Condition:	Job #:

TRANSMISSION
Automatic Transmission
4 Wheel Drive

POWER
Power Steering
Power Brakes
Power Windows
Power Locks
Power Mirrors
Heated Mirrors

DECOR
Dual Mirrors
Privacy Glass
Console/Storage
Overhead Console

CONVENIENCE
Air Conditioning
Intermittent Wipers
Tilt Wheel
Cruise Control
Rear Defogger
Keyless Entry
Alarm
Message Center
Steering Wheel Touch Controls
Rear Window Wiper
Telescopic Wheel
Climate Control
Backup Camera
Intelligent Cruise

RADIO
AM Radio
FM Radio
Stereo
Search/Seek
Auxiliary Audio Connection
Satellite Radio

SAFETY
Drivers Side Air Bag
Passenger Air Bag
Anti-Lock Brakes (4)
4 Wheel Disc Brakes
Traction Control
Stability Control
Front Side Impact Air Bags
Head/Curtain Air Bags
Rear Side Impact Air Bags
Communications System
Hands Free Device
Xenon or L.E.D. Headlamps
Blind Spot Detection
Lane Departure Warning

ROOF
Luggage/Roof Rack

SEATS
Cloth Seats
Bucket Seats
3rd Row Seat

WHEELS
Aluminum/Alloy Wheels

PAINT
Clear Coat Paint

OTHER
Fog Lamps
Rear Spoiler
California Emissions

TRUCK
Rear Step Bumper
Power Rear Window
[redacted]
[redacted]

Customer: [redacted]

2025 TOYO 4Runner SR5 4WD 4D UTV 4-2.4L Turbocharged Gasoline Port/Direct Injection Black

Line		Oper	Description	Part Number	Qty	Extended Price $		Labor	Paint
1	**FRONT BUMPER & GRILLE**								
2			O/H bumper assy					4.8	
3	<>	Repl	Bumper cover to 08/2[redacted]	[redacted]922	1	[redacted]		Incl.	2.4
4			Add for Clear Coat						1.0
5		Repl	Prep unprimed bumper		1				0.7
6		Repl	Bumper bracket	5213635070	1	[redacted]		0.1	
7		Repl	Absorber	5261135050	1	[redacted]		0.1	
8		Repl	Impact bar (ALU)	5202135160	1	[redacted]		0.5	
9	<>	Repl	LT Side cover w/o front park aid	5211335913	1	[redacted]		Incl.	1.8
10			Overlap Major Non-Adj. Panel						-0.2
11			Add for Clear Coat						0.3
12		Repl	Lower panel w/o front park aid	5393135020	1	[redacted]		Incl.	
13		Repl	Grille assy	5310235040	1	[redacted]		Incl.	
14		Repl	Center bezel	5392835010	1	[redacted]			
15		Repl	Emblem	9097502247	1	[redacted]		0.2	
16		Repl	License bracket	7510135020	1	[redacted]		0.2	
17		Repl	Spoiler w/o TRD package to 08/2[redacted]	[redacted]010	1	[redacted]		Incl.	
18		Repl	Valance panel w/o steel	5391135500	1	[redacted]		Incl.	
19	<>	Repl	RT Side cover w/o front park aid	5211235913	1	[redacted]		Incl.	1.8
20			Overlap Major Non-Adj. Panel						-0.2
21			Add for Clear Coat						0.3
22		Repl	Upper grille SR5	5310135120	1	[redacted]		Incl.	
23		Repl	Grille surround	5271135900	1	[redacted]		Incl.	0.6
24			Overlap Minor Panel						-0.2
25			Add for Clear Coat						0.1
26		Repl	Seal to hood	5339535030	1	[redacted]		0.1	
27		Repl	Shutter	5318060051	1	[redacted]	m	Incl.	
28		Repl	Distance sensor	8821048150	1	[redacted]	m	0.2	
29			Aim distance sensor				m	1.4	
30		Repl	Front camera	8679035170	1	[redacted]	m	0.1	
31			Aim camera				m	1.6	
32	**FRONT LAMPS**								
33		Repl	RT Headlamp assy SR5, TRD Sport, [redacted]	8114035651	1	[redacted]		0.5	
34		Repl	LT Headlamp assy SR5, TRD Sport, [redacted]	8107035651	1	[redacted]		0.5	
35			Aim headlamps					0.5	
36	*	R&I	RT Fog lamp assy type A					0.1	
37	*	R&I	LT Fog lamp assy type A					0.1	
38	**RADIATOR SUPPORT**								
39		Repl	Lock support	5320935070	1	[redacted]		0.2	
40		Repl	Upper tie bar	5320560110	1	[redacted]		0.4	0.8
41		Repl	RT Side support	5320235160	1	[redacted]	s	4.1	1.2

Customer: [redacted]

2025 TOYO 4Runner SR5 4WD 4D UTV 4-2.4L Turbocharged Gasoline Port/Direct Injection Black

42			Add for Clear Coat						0.2
43		Repl	LT Side support	5320335160	1	[redacted]	s	4.1	1.2
44			Add for Clear Coat						0.2
45		Repl	Upper guide	1668125050	1	[redacted]		0.2	
46		Repl	Sight shield	1659425100	1	[redacted]		Incl.	
47	**COOLING**								
48		Repl	Radiator w/o hybrid	1640025250	1	[redacted]	m	Incl.	
49	**AIR CONDITIONER & HEATER**								
50		Repl	Condenser assy	884A035010	1	[redacted]	m	4.0	
51			AC Service evacuate & recharge				m	1.7	
52			AC Service refrigerant recovery				m	0.4	
53	**HOOD**								
54		Repl	Hood (ALU)	5330135240	1	[redacted]		1.6	3.2
55			Overlap Major Non-Adj. Panel						-0.2
56	*		Add for Clear Coat						0.6
57			Add for Underside(Complete)						1.5
58		Repl	Lock assy	5351035280	1	[redacted]		0.3	
59	**FENDER**								
60		Repl	RT Wheel opng mldg w/o [redacted], w/o Trailhunter	7508535070	1	[redacted]		0.5	
61		Repl	RT Fender w/air intake	5381135450	1	[redacted]		2.1	2.2
62			Overlap Major Adj. Panel						-0.4
63	*		Add for Clear Coat						0.4
64			Add for Edging						0.5
65		Repl	LT Wheel opng mldg w/o [redacted], w/o Trailhunter	7508635070	1	[redacted]		0.5	
66		R&I	RT Mud guard					0.2	
67		R&I	LT Mud guard					0.2	
68		R&I	RT Fender liner w/o [redacted], Trailhunter					Incl.	
69		R&I	LT Fender liner w/o [redacted], Trailhunter					0.5	
70	**FRAME**								
71	#	Rpr	Set up & Measure - Rack					2.0 F	
72	**ENGINE**								
73		Repl	Air cleaner assy	1770025260	1	[redacted]	m	0.5	
74	**WINDSHIELD**								
75		Repl	Washer reservoir	8531560500	1	[redacted]		0.4	
76		Repl	Filler neck	8530160120	1	[redacted]			
77	**FRONT DOOR**								
78		Repl	RT Belt molding	7571035010	1	[redacted]		0.3	
79		Repl	LT Belt molding	7572035010	1	[redacted]		0.3	
80	*	Blnd	RT Outer panel						1.1
81	*	Blnd	LT Outer panel						1.1
82		R&I	RT R&I mirror					0.3	
83		R&I	RT Handle, outside non-painted					0.4	
84		R&I	RT R&I trim panel					0.5	

Customer: [redacted]

2025 TOYO 4Runner SR5 4WD 4D UTV 4-2.4L Turbocharged Gasoline Port/Direct Injection Black

85		R&I	LT R&I mirror				0.3		
86		R&I	LT Handle, outside non-painted				0.4		
87		R&I	LT R&I trim panel				0.5		
88	**VEHICLE DIAGNOSTICS**								
89	*	Rpr	Pre-repair scan			m	0.5	M	
90	*	Subl	Pre-repair scan	1	[redacted]	X m			
91	*	Rpr	Post-repair scan			m	0.5	M	
92	*	Subl	Post-repair scan	1	[redacted]	X m			
93	#	Subl	CALIBRATIONS AS NEEDED - OPEN	1		X			
94	**MISCELLANEOUS OPERATIONS**								
95	#	Repl	Cover Car	1	[redacted]		0.2		
96	#	Subl	Haz. Waste	1	[redacted]				
97	#	Subl	Flex additive	1	[redacted]	X			
98	#	Refn	Tint Paint						0.5
			SUBTOTALS		[redacted]		**39.1**		**22.5**

ESTIMATE TOTALS

Category	Basis		Rate	Cost $
Parts				[redacted]
Body Labor	36.1 hrs	@	$ [redacted] /hr	[redacted]
Paint Labor	22.5 hrs	@	$ [redacted] /hr	[redacted]
Mechanical Labor	1.0 hrs	@	$ [redacted] /hr	[redacted]
Frame Labor	2.0 hrs	@	$ [redacted] /hr	[redacted]
Paint Supplies	22.5 hrs	@	$ [redacted] /hr	[redacted]
Miscellaneous				[redacted]
Subtotal				[redacted]
Sales Tax	$ [redacted]	@	[redacted]00 %	[redacted]
Grand Total				[redacted]
Deductible				[redacted]
CUSTOMER PAY				[redacted]
INSURANCE PAY				[redacted]

ANY PERSON WHO KNOWINGLY, AND WITH INTENT TO DEFRAUD OR DECEIVE ANY INSURANCE COMPANY, FILES A STATEMENT OF CLAIM CONTAINING ANY FALSE, INCOMPLETE, OR MISLEADING INFORMATION IS GUILTY OF A FELONY.

Customer: [redacted]

2025 TOYO 4Runner SR5 4WD 4D UTV 4-2.4L Turbocharged Gasoline Port/Direct Injection Black

Estimate based on MOTOR CRASH ESTIMATING GUIDE and potentially other third party sources of data. Unless otherwise noted, (a) all items are derived from [redacted], CCC Data Date 10/01/2026, and potentially other third party sources of data; and (b) the parts presented are OEM-parts. OEM parts are manufactured by or for the vehicle's Original Equipment Manufacturer (OEM) according to OEM's specifications for U.S. distribution. OEM parts are available at OE/Vehicle dealerships or the specified supplier. OPT OEM ([redacted] OEM) or ALT OEM (Alternative OEM) parts are OEM parts that may be provided by or through alternate sources other than the OEM vehicle dealerships with discounted pricing. Asterisk (*) or [redacted] (**) indicates that the parts and/or labor data provided by third party sources of data may have been modified or may have come from an alternate data source. Tilde sign (~) items indicate MOTOR Not-Included Labor operations. The symbol (<>) indicates the refinish operation WILL NOT be performed as a separate procedure from the other panels in the estimate. Non-Original Equipment Manufacturer aftermarket parts are described as Non OEM, [redacted]. Used parts are described as LKQ, RCY, or USED. Reconditioned parts are described as Recond. Recored parts are described as Recore. NAGS Part Numbers and Benchmark Prices are provided by National Auto Glass Specifications. Labor operation times listed on the line with the NAGS information are MOTOR suggested labor operation times. NAGS labor operation times are not included. Pound sign (#) items indicate manual entries.

Some 2024 vehicles contain minor changes from the previous year. For those vehicles, prior to receiving updated data from the vehicle manufacturer, labor and parts data from the previous year may be used. The CCC ONE estimator has a list of applicable vehicles. Parts numbers and prices should be confirmed with the local dealership.

The following is a list of additional abbreviations or symbols that may be used to describe work to be done or parts to be repaired or replaced:

SYMBOLS FOLLOWING PART PRICE:
m=MOTOR Mechanical component. s=MOTOR Structural component. T=Miscellaneous Taxed charge category. X=Miscellaneous Non-Taxed charge category.

SYMBOLS FOLLOWING LABOR:
D=Diagnostic labor category. E=Electrical labor category. F=Frame labor category. G=Glass labor category. M=Mechanical labor category. S=Structural labor category. (numbers) 1 through 4=User Defined Labor Categories.

OTHER SYMBOLS AND ABBREVIATIONS:
Adj.=Adjacent. Algn.=Align. ALU=Aluminum. A/M=Aftermarket part. Blnd=Blend. BOR=Boron steel. CAPA=Certified Automotive Parts Association. CFC=Carbon Fiber. D&R=Disconnect and Reconnect. HSS=High Strength Steel. HYD=Hydroformed Steel. Incl.=Included. LKQ=Like Kind and Quality. LT=Left. MAG=Magnesium. Non-Adj.=Non Adjacent. NSF=[redacted]. O/H=Overhaul. Qty=Quantity. Refn=Refinish. Repl=Replace. R&I=Remove and Install. R&R=Remove and Replace. Rpr=Repair. RT=Right. SAS=Sandwiched Steel. Sect=Section. STS=Stainless Steel. Subl=Sublet. UHS=Ultra High Strength Steel. N=Note(s) associated with the estimate line.

CCC ONE Estimating - A product of CCC Intelligent Solutions Inc.

The following is a list of abbreviations that may be used in CCC ONE Estimating that are not part of the MOTOR CRASH ESTIMATING GUIDE:
BAR=Bureau of Automotive Repair. EPA=[redacted]. NHTSA= National Highway Transportation and Safety Administration. PDR=Paintless Dent Repair. VIN=Vehicle Identification Number.