


2026 TOYO 4Runner SR5 4WD 4D UTV 4-2.4L Turbocharged Gasoline Port/Direct Injection

VIN:	JTEVA5BR9T5105845	Interior Color:		Mileage In:	Vehicle Out:
License:		Exterior Color:		Mileage Out:	
State:	SD	Production Date:		Condition:	Job #:

TRANSMISSION
Automatic Transmission
4 Wheel Drive

POWER
Power Steering
Power Brakes
Power Windows
Power Locks
Power Mirrors
Heated Mirrors

DECOR
Dual Mirrors
Privacy Glass
Console/Storage
Overhead Console

CONVENIENCE
Air Conditioning
Intermittent Wipers
Tilt Wheel
Cruise Control
Rear Defogger
Keyless Entry
Alarm
Message Center
Steering Wheel Touch Controls
Rear Window Wiper
Telescopic Wheel
Climate Control
Backup Camera
Intelligent Cruise

RADIO
AM Radio
FM Radio
Stereo
Search/Seek
Auxiliary Audio Connection
Satellite Radio

SAFETY
Drivers Side Air Bag
Passenger Air Bag
Anti-Lock Brakes (4)
4 Wheel Disc Brakes
Traction Control
Stability Control
Front Side Impact Air Bags
Head/Curtain Air Bags
Rear Side Impact Air Bags
Communications System
Hands Free Device
Xenon or L.E.D. Headlamps
Blind Spot Detection
Lane Departure Warning

SEATS
Cloth Seats
Bucket Seats

WHEELS
Aluminum/Alloy Wheels

PAINT
Clear Coat Paint

OTHER
Fog Lamps
Rear Spoiler
California Emissions

TRUCK
Rear Step Bumper
Power Rear Window
[redacted]
[redacted]

Get live updates at [redacted]

Customer: 616060, [redacted]

[redacted] TOYO 4Runner SR5 4WD 4D UTV 4-2.4L Turbocharged Gasoline Port/Direct Injection

Line			Oper	Description	Part Number	Qty	Extended Price $		Labor	Paint
1	**FRONT BUMPER & GRILLE**									
2				O/H bumper assy					4.8	
3	*		Repl	Bumper cover from 08/2025 -5%	5211935923	1	[redacted]		Incl.	2.4
4				Add for Clear Coat						1.0
5			Repl	Prep unprimed bumper		1				0.7
6	*		Repl	Valance panel w/o steel -5%	5391135500	1	[redacted]		Incl.	
7	*		Repl	Lower panel w/o front park aid -5%	5393135020	1	[redacted]		Incl.	
8	*		Repl	Absorber -5%	5261135050	1	[redacted]		0.1	
9	*		Repl	Grille surround -5%	5271135900	1	[redacted]		Incl.	0.6
10				Add for Clear Coat						0.1
11	*		Repl	Grille assy -5%	5310235040	1	[redacted]		Incl.	
12	*	<>	Repl	LT Side cover w/o front park aid -5%	5211335913	1	[redacted]		Incl.	1.8
13				Overlap Minor Panel						-0.2
14				Add for Clear Coat						0.6
15	*		Repl	Upper grille SR5 -5%	5310135120	1	[redacted]		Incl.	
16	*		Repl	Shutter -5%	5318060051	1	[redacted]	m	Incl.	
17	*		R&I	Seal to hood					0.1	
18	*		Repl	Emblem -5%	9097502247	1	[redacted]		0.2	
19	*		Repl	RT Side cover hole cover -5%	5212735170	1	[redacted]			
20	*		Repl	LT Side cover hole cover -5%	5212835160	1	[redacted]			
21	**FRONT LAMPS**									
22	*		Repl	RT Headlamp assy SR5, TRD Sport, [redacted] -5%	8114035651	1	[redacted]		0.5	
23				Aim headlamps					0.5	
24	*		Repl	LT Headlamp assy SR5, TRD Sport, [redacted] -5%	8107035651	1	[redacted]		0.5	
25	*		R&I	RT Fog lamp assy type A					0.1	
26	*		R&I	LT Fog lamp assy type A					0.1	
27	**RADIATOR SUPPORT**									
28	*		Repl	Sight shield -5%	1659425100	1	[redacted]		Incl.	
29	*		Repl	Lock support -5%	5320935070	1	[redacted]		0.2	
30	*		Repl	LT Side air baffle upper -5%	1659525430	1	[redacted]		0.2	
31			Repl	RT Side air baffle upper	1659325460	1	[redacted]		0.2	
32	*		Repl	Seal -5%	1656125040	1	[redacted]			
33	**HOOD**									
34	*		Repl	LT Hinge -5%	5342035170	1	[redacted]		0.3	0.6
35			R&I	Insulator					Incl.	
36	*		Repl	Hood (ALU) -5%	5330135240	1	[redacted]		1.6	3.2
37				Overlap Major Non-Adj. Panel						-0.2
38				Add for Clear Coat						0.6
39				Add for Underside(Complete)						1.5
40	*		Repl	RT Hinge -5%	5341035170	1	[redacted]		0.3	0.6

Customer: 616060, [redacted]

[redacted] TOYO 4Runner SR5 4WD 4D UTV 4-2.4L Turbocharged Gasoline Port/Direct Injection

41			Overlap Minor Panel						-0.2
42	**FENDER**								
43	*	Rpr	RT Fender w/o air intake					6.0	2.2
44			Overlap Major Adj. Panel						-0.4
45			Add for Clear Coat						0.4
46	*	Rpr	LT Fender w/o air intake					4.0	2.2
47			Overlap Major Adj. Panel						-0.4
48			Add for Clear Coat						0.4
49		R&I	RT Fender liner w/o [redacted], Trailhunter					0.5	
50		R&I	LT Fender liner w/o [redacted], Trailhunter					0.5	
51		R&I	RT Fender ledge cvr					Incl.	
52		R&I	LT Fender ledge cvr					0.2	
53		R&I	RT Wheel opng mldg w/o [redacted], w/o Trailhunter					0.5	
54		R&I	LT Wheel opng mldg w/o [redacted], w/o Trailhunter					0.5	
55		R&I	RT R&I fender assy					1.9	
56	*	Algn	LT Fender w/o air intake					1.0	
57	**WINDSHIELD**								
58		R&I	RT Side molding					0.2	
59		R&I	LT Side molding					0.2	
60	**COWL**								
61	*	Rpr	RT Upper reinf				s	1.0	0.4
62			Add for Clear Coat						0.1
63	**FRONT DOOR**								
64	*	Rpr	RT Outer panel					0.5	2.1
65			Overlap Major Adj. Panel						-0.4
66			Add for Clear Coat						0.3
67	*	Blnd	LT Outer panel						1.1
68	*	R&I	RT Belt molding					0.3	
69	*	R&I	LT Belt molding					0.3	
70		R&I	RT R&I mirror					0.3	
71		R&I	LT R&I mirror					0.3	
72		R&I	RT Handle, outside non-painted					0.4	
73		R&I	LT Handle, outside non-painted					0.4	
74		R&I	RT R&I trim panel					0.5	
75		R&I	LT R&I trim panel					0.5	
76	*	Repl	RT Black out tape -5%	7592135040	1	[redacted]		0.2	
77	*	Repl	LT Black out tape -5%	7592235040	1	[redacted]		0.2	
78	**VEHICLE DIAGNOSTICS**								
79	#		Pre Scan		1	[redacted]		0.5 M	
80	#		Post Scan		1	[redacted]		0.5 M	
81	#		[redacted] report		1	[redacted]		0.1	
82	#		Calibrate Adaptive Cruise		1	[redacted]			
83	#		[redacted]		1			0.3	

Customer: 616060, [redacted]

[redacted] TOYO 4Runner SR5 4WD 4D UTV 4-2.4L Turbocharged Gasoline Port/Direct Injection

			Inspection Per OEM Requirment					
84	**MISCELLANEOUS OPERATIONS**							
85	#	Subl	Hazardous Waste	1	[redacted]	T		
86	#	Subl	Flex Additive	1	[redacted]	T		
87	#	Repl	Corrosion Protection	1	[redacted]			0.3
88	#	Repl	Cover Car	1	[redacted]		0.2	
89	#	Refn	Initial Paint Mix					0.5
			SUBTOTALS		[redacted]		**31.7**	**21.9**

ESTIMATE TOTALS

Category	Basis		Rate	Cost $
Parts				[redacted]
Body Labor	30.7 hrs	@	$ [redacted] /hr	[redacted]
Paint Labor	21.9 hrs	@	$ [redacted] /hr	[redacted]
Mechanical Labor	1.0 hrs	@	$ [redacted] /hr	[redacted]
Paint Supplies	21.9 hrs	@	$ [redacted] /hr	[redacted]
Miscellaneous				[redacted]
Subtotal				[redacted]
Sales Tax	$ [redacted]	@	6.2000 %	[redacted]
Grand Total				[redacted]
Deductible				[redacted]
CUSTOMER PAY				[redacted]
INSURANCE PAY				[redacted]

This is an estimate only. This estimate does not account for hidden or unseen damage. Parts prices may vary and are subject to invoice. There is no warranty on any type of rust repairs.

THIS ESTIMATE MAY BE BASED IN WHOLE OR IN PART UPON THE PAINTLESS DENT REPAIR METHOD. EACH ITEM OF DAMAGE ADJUSTED USING THAT METHOD IS IDENTIFIED ON THE ESTIMATE. THE PAINTLESS DENT REPAIR METHOD MAY NOT BE THE APPROPRIATE REPAIR METHOD FOR ALL TYPES OF DAMAGE. IF AN INSURER [redacted] FOR THE DAMAGE LISTED ON THE ESTIMATE, THE INSURER [redacted] TO RESTORE THE VEHICLE TO SUBSTANTIALLY THE SAME PHYSICAL CONDITION. FOR ANY DAMAGE WHERE IT IS APPROPRIATE TO REPAIR THE VEHICLE USING THE PAINTLESS DENT REPAIR METHOD, THE INSURED MAY CHOOSE NOT TO REPAIR THE VEHICLE OR CHOOSE TO HAVE THE VEHICLE REPAIRED USING A DIFFERENT METHOD OF REPAIR. IF THE INSURED CHOOSES EITHER OF THESE OPTIONS, THE INSURER [redacted] THE COST OF THE PAINTLESS DENT REPAIR METHOD.

Customer: 616060, [redacted]

[redacted] TOYO 4Runner SR5 4WD 4D UTV 4-2.4L Turbocharged Gasoline Port/Direct Injection

Estimate based on MOTOR CRASH ESTIMATING GUIDE and potentially other third party sources of data. Unless otherwise noted, (a) all items are derived from [redacted], CCC Data Date 09/16/2026, and potentially other third party sources of data; and (b) the parts presented are OEM-parts. OEM parts are manufactured by or for the vehicle's Original Equipment Manufacturer (OEM) according to OEM's specifications for U.S. distribution. OEM parts are available at OE/Vehicle dealerships or the specified supplier. OPT OEM ([redacted] OEM) or ALT OEM (Alternative OEM) parts are OEM parts that may be provided by or through alternate sources other than the OEM vehicle dealerships with discounted pricing. Asterisk (*) or [redacted] (**) indicates that the parts and/or labor data provided by third party sources of data may have been modified or may have come from an alternate data source. Tilde sign (~) items indicate MOTOR Not-Included Labor operations. The symbol (<>) indicates the refinish operation WILL NOT be performed as a separate procedure from the other panels in the estimate. Non-Original Equipment Manufacturer aftermarket parts are described as Non OEM, [redacted]. Used parts are described as LKQ, RCY, or USED. Reconditioned parts are described as Recond. Recored parts are described as Recore. NAGS Part Numbers and Benchmark Prices are provided by National Auto Glass Specifications. Labor operation times listed on the line with the NAGS information are MOTOR suggested labor operation times. NAGS labor operation times are not included. Pound sign (#) items indicate manual entries.

Some 2024 vehicles contain minor changes from the previous year. For those vehicles, prior to receiving updated data from the vehicle manufacturer, labor and parts data from the previous year may be used. The CCC ONE estimator has a list of applicable vehicles. Parts numbers and prices should be confirmed with the local dealership.

The following is a list of additional abbreviations or symbols that may be used to describe work to be done or parts to be repaired or replaced:

SYMBOLS FOLLOWING PART PRICE:
m=MOTOR Mechanical component. s=MOTOR Structural component. T=Miscellaneous Taxed charge category. X=Miscellaneous Non-Taxed charge category.

SYMBOLS FOLLOWING LABOR:
D=Diagnostic labor category. E=Electrical labor category. F=Frame labor category. G=Glass labor category. M=Mechanical labor category. S=Structural labor category. (numbers) 1 through 4=User Defined Labor Categories.

OTHER SYMBOLS AND ABBREVIATIONS:
Adj.=Adjacent. Algn.=Align. ALU=Aluminum. A/M=Aftermarket part. Blnd=Blend. BOR=Boron steel. CAPA=Certified Automotive Parts Association. CFC=Carbon Fiber. D&R=Disconnect and Reconnect. HSS=High Strength Steel. HYD=Hydroformed Steel. Incl.=Included. LKQ=Like Kind and Quality. LT=Left. MAG=Magnesium. Non-Adj.=Non Adjacent. NSF=[redacted]. O/H=Overhaul. Qty=Quantity. Refn=Refinish. Repl=Replace. R&I=Remove and Install. R&R=Remove and Replace. Rpr=Repair. RT=Right. SAS=Sandwiched Steel. Sect=Section. STS=Stainless Steel. Subl=Sublet. UHS=Ultra High Strength Steel. N=Note(s) associated with the estimate line.

CCC ONE Estimating - A product of CCC Intelligent Solutions Inc.

The following is a list of abbreviations that may be used in CCC ONE Estimating that are not part of the MOTOR CRASH ESTIMATING GUIDE:
BAR=Bureau of Automotive Repair. EPA=[redacted]. NHTSA= National Highway Transportation and Safety Administration. PDR=Paintless Dent Repair. VIN=Vehicle Identification Number.